AMENDMENT OF SOLI	TTA	TION/MODIE	TICATION OF CONTRACT	,	1. CONTRACT II	CODE		PAGE OF PAGES	
AMENDMENT OF SOLIC	JIIA		ICATION OF CONTRACT					1   7	
2. AMENDMENT/MODIFICATION NO.		3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.			5. PROJE	ECTNO	O.(If applicable)	
0006		15-Aug-2007							
6. ISSUED BY COI	E	W917PM	7. ADMINISTERED BY (If other than item 6)		COD	E			
AFGHANISTAN ENGINEER DISTRICT US ARMY CORPS OF ENGINEERS KABUL APO AE 09356			See Item 6						
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)					X 9A. AMENDMENT OF SOLICITATION NO. W917PM-07-R-0086				
					9B. DATED (SEE ITEM 11) 12-Jul-2007				
					10A. MOD. OF CONTRACT/ORDER NO.				
CODE	10B. DATED (SEE ITEM 13)								
	11.7	THIS ITEM ONLY A	APPLIES TO AMENDMENTS OF SOLI	CIT	ATIONS				
X The above numbered solicitation is amended as	set forth	in Item 14. The hour and	date specified for receipt of Offer	Χ	is extended,	is not e	extende	d.	
(a) By completing Items 8 and 15, and returning or (c) By separate letter or telegram which inclu RECEIVED AT THE PLACE DESIGNATED I REJECTION OF YOUR OFFER. If by virtue of provided each telegramor letter makes reference	des a ref FOR THE this am to the s	copies of the amendment erence to the solicitation E RECEIPT OF OFFERS endment you desire to cha olicitation and this amendation	cified in the solicitation or as amended by one of nt; (b) By acknowledging receipt of this amendment and amendment numbers. FAILURE OF YOUR PRIOR TO THE HOUR AND DATE SPECIFIE ange an offer already submitted, such change may diment, and is received prior to the opening hour	ent o ACK D M. be m	n each copy of the offe NOWLEDGMENT T AY RESULT IN ade by telegramor lett	O BE	ed;		
12. ACCOUNTING AND APPROPRIATION	ON DA	TA (If required)							
IT I	MODII	FIESTHE CONTRA	FO MODIFICATIONS OF CONTRACT CT/ORDER NO. AS DESCRIBED IN IT	EM	14.				
A. THIS CHANGE ORDER IS ISSUED F CONTRACT ORDER NO. IN ITEM		ANT TO: (Specify a	uuthority) THE CHANGES SET FORTH	IN	ITEM 14 ARE M	ADE IN	THE		
	FORT:	H IN ITEM 14, PUR	SUANT TO THE AUTHORITY OF FA			s change	es in p	aying	
C. THIS SUPPLEMENT AL AGREEME	N1 15	ENTERED INTO PO	JRSUANT TO AUTHORITY OF:						
D. OTHER (Specify type of modificatio	n and a	nuthority)							
E. IMPORTANT: Contractor is no	t, [	is required to sig	gn this document and return	co	pies to the issuing	office.			
<ul><li>14. DESCRIPTION OF AMENDMENT/Mowhere feasible.)</li><li>This amendment is made to answer quest 21 August 2007.</li></ul>									
Except as provided herein, all terms and conditions o	fthe do	cument referenced in Item	9A or 10A, as heretofore changed, remains uncha	anged	l and in full force and o	effect.			
15A. NAME AND TITLE OF SIGNER (Ty	16A. NAME AND TITLE OF CO	ONT	RACTING OFFIC	ER (Ty	pe or	print)			
			TEL:		EMAIL:				
15B. CONTRACTOR/OFFEROR		15C. DATE SIGNE	D 16B. UNITED STATES OF AME	RIC	A		16C. l	DATE SIGNED	
			BY				15- <i>F</i>	Aug-2007	
(Signature of person authorized to sign	)		(Signature of Contracting O	ffice	er)			-	

## SECTION SF 30 BLOCK 14 CONTINUATION PAGE

## SUMMARY OF CHANGES

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been added by full text:

**QUESTIONS & ANSWERS #6** 

QUESTIONS & ANSWERS (Q&A)

ANA Garrisons

Amendment # 6

(Questions & Answers provided for informational purposes only)

15 August 2007

## W917PM-07-R-0086

## Amendment # 6

Questions and Answers: RFI # 1

Q1. SOW document gives in-compound road length as 4 km which implies that total road area is approximately 29,200 sm (taking the road width as 7,3 m) however; when we measured the approximate road area from the layout plan we found out that compound roads are approximately 50,000 sm excluding access roads to buildings and pavements in front of the buildings. The difference is considerable. Shall the successful bidder construct only 4 km of these roads or will the layout plan be exactly realized?

Answer: The RFP section 01010 estimated 6 KM of road, and specifies that the contractor shall design the base layout. The Appendix A Layout is notional, and the contractor does not have to follow the notional layout.

Q2. Is package type treatment plant acceptable for sewage treatment?

Answer: Yes as long as the submittal meets the requirements and meets the contract schedule.

Q3. Amendment 0004 answer to question #70 reveals that some entry control structures are needed for BHC/GHC. Will the perimeter of the compound be enclosed by a wall or fence to complete the security measures? Also will a guard tower be required for the compound perimeter?

Answer: Section 01010 defines the Force Protection requirements.

Q4. Amendment 0005 CLIN 0005A defines DFAC1 as a k-span building however given design documentation is a PE building. Also geometry of the building is not suitable for a k-span building. Please clarify.

Answer: Reference the design provided in Appendix C for this building.

Q5. Will battalion storage buildings be k-span as defined in bid schedule of amendment 0005 or be PE as defined in SOW paragraph 4.4?

Answer: Pre-Engineered buildings.

Q6. Amendment 0005 SOW paragraph 2.15: Both "liter" and "gallon" is used for the same fuel tanks. Please clarify.

Answer: Only liters should be used in describing the storage requirements.

Q7. There are still confusion for the building types: SOW paragraph 2.16, 2.17, 2.18 are not consistent with the given design drawings.

Answer: the three paragraphs in Section 01010 provide the scope requirements and refer to the drawings in Appendix A and Appendix C for additional information.

Q8. CLIN 0003: There is no detail/narrative for the content of the line item. How many offices or how many sm area is required for the item?

Answer: Review Specifications Section 1060.

Q9. Please confirm that DFAC2 will be a PE building. There is no definition in SOW.

Answer: Reference the design provided in Appendix C.

Q10. Amendment 0005 CLIN 0006C Training Building is defined as k-span in bid schedule however; SOW paragraph 2.25 defines the building as insulated modular construction. Please clarify.

Answer: Follow the specific requirements of Section 01010, paragraph 2.25 and referenced drawings.

Q11. There is an imbalance between the number of supported personnel and required building area for CS and CSS compounds. CS supports 352 personnel with 4 barracks however; CSS supports 496 personnel with 3 barracks. Please clarify.

Answer: The requirement is the number of facilities, as defined in the Proposal Schedule and Section 01010.

RFI # 2

Q1. We understand from RFP that asphalt covering of the compound roads are optional items. We need clarification about the covered areas in the immediate vicinity of the buildings shown on the layout plan (example: covered area around the central receiving warehouse or maintenance buildings). Will they be gravel, asphalt or concrete? If gravel, is there any option considered to upgrade these areas?

Answer: All "Covered Areas" is paved with concrete.

Q2. In the proposed layout plan there is a second refueling point located inside infantry battalion 2 however; there is no mention in RFP or in bid schedule for this one. Please clarify.

Answer: The layout plan is notional, refer to revised Specifications.

Q3. Are the connection roads to the buildings/facilities from the main roads a part of the CLIN 0002E? Or will they be considered a part of the facility/building items. If they are a part of the buildings/facilities, will they be covered by asphalt in case optional CLIN 0009 is awarded?

Answer: Refer to line item "Road Network"

Q4. In the case that CLIN 0009 and 0010 is awarded, will the contractor be expected to cover shoulders also by asphalt?

Answer: Refer to revised specs. The contractor shall adequately address roadway design requirements.

Q5. DFAC building is described to be a pre-engineered one however; section 01015 paragraph 3.13.4 mentions exposed concrete paint to the ceilings. Please clarify.

Answer: Pre-engineered building is correct.

Q6. In given drawings, among the similar buildings, some of the buildings have R/C cast in place ceiling slabs however some don't. K-span barrack buildings do not seem to have a concrete slab. Shall we strictly stick to the given drawings or is there any other criteria you can advise?

Answer: Refer to revised section 01010 and 01015. No further clarification required.

Q7. Is contractor expected to provide with any medical equipment to the clinic building?

Answer: Refer to revised specifications.

Q8. CLIN 0002B to D covers infrastructure for the 3 base bid battalion. In the similar projects bidded before, base infrastructural items covered the whole project area which we believe is a more reasonable approch in order to avoid any inconvenience and re-do work in the future. In the case that any optional item was awarded, the contractor would only tie into the main network readily available. Please re-consider and advise accordingly.

Answer: Refer to revised specifications.

Q9. There are contradictions in the RFP about the type of the buildings. For example, ETTC stroge building is described as a R/C building with k-span roof in the SOW (2.11.1) however, given design is a pre-engineered building. Similarly, SOW paragraph 2.17 describes the communications building to be a R/C one however, in given drawings it is a pre-engineered building. You are kindly requsted to issue a building matrix including all buildings to avoid any inconvenience.

Answer: this question is adequately addressed in section 01010. No further clarification is required.

Q10. SOW paragraph 2.14 gives two different toilet/shower/sink ratios for the buildings. Please clarify.

Answer: this question is adequately addressed in section 01010. No further clarification is required.

Q11. Please confirm that CS and CSS maintenance garages will have 1 ton crane as per SOW 4.6.c since given design shows different capacity cranes.

Answer: No where in the 01010 shows one-ton crane

RFI # 3

Q1. Amendment 0002 SOW table 1.1 and 1.2 contains some errors. For example item 2.13 and 2.14 are not base bid items. Similarly item 2.32 is not an optional item. Please clarify.

Answer: Refer to revised specifications

Q2. Amendment 0001 Answer to question #5 states that anti-vehicle trench should be included to base bid item 0002 A however; table 1.2 shows this item to be an optional one. Please clarify.

Answer: Revised specifications adequately addressed this question. No further clarification is required.

Q3. Refer to Answer for question #8 of amendment 0001: In bid schedule, it is still not 100% clear which building will be K span. We understand from clins and drawings that barracks and toilet buildings will be K span however; there are some contradictions for other items. For example: Clin 0004 E defines Training Building to be K Span whereas SOW paragraph 2.25 states that the building will be a pre-engineered one. Similarly structures other than barracks and toilets under CLIN 0003 A and 0005 E have the same confusion. Please clarify.

Answer: Refer to revised specifications

Q4. What will be the walls of Barracks, toilets and battalion HQ buildings? CMU or RC? No specification given is SOW.

Answer: Refer to revised specifications

Q5. SOW paragraph 2.27 MWR building: Where shall we put our price for this facility in bid schedule?

Answer: Refer to revised specifications

Q6. Appendix A, brigade layout plan Infantary Battalions 1,2 and 3: We think that 150 enlisted 2-tier barracks is a misprint and should be battalion storage building. Please confirm.

Answer: Buildings are dual function

Q7. SOW paragraphs 2.8 to 2.10: Battalion HQ buildings are not reflected to bid schedule. Please clarify.

Answer: Refer to revised specifications

Q8. SOW paragraph 2.22 mentions 3+1=4 barracks for CSS whereas CLIN 0006 E mentions only 3 barracks. Please clarify.

Answer: Refer to revised specifications

Q9. Please give more detail about CLIN 0003 C USACE Special Facilities. There is no explanaion in SOW for this CLIN.

Answer: Refer to specifications

Q10. CLIN 0005 F and 0006 F mention maintenance building whereas SOW paragraphs 2.22 and 2.23 do not mention these structures. Please clarify.

Answer: Refer to revised specifications

Q11. Where shall we put our price for Laundry Building (SOW 2.34)?

Answer: Refer to revised specifications and previous amendments questions and answers section.

Q12. Amendment 0002 answer to question #20: 1,500 m ASP road is to be included to CLIN 0010. Amendment 0002 SOW paragraph 2.2 states that CLIN 0010 stands for the 2 km long connection road for the compound. There seems to be a confusion. Please clarify.

Answer: Refer to revised specifications

Q13. Also CLIN 0010 mentions construction and paving of a 2 km roadway however; construction of this road is already a part of CLIN 0002 E. This clin should only include the paving. Please advise.

Answer: Refer to revised specifications

Q14. CLIN 0011 to 0014 only power supply and distribution is required for the line item definitions. Please confirm that water supply and sewer is also included to these items.

Answer: Refer to revised specifications

Q15. SOW defines 1 arms storage building for each complex (e.g. SOW 2.8) however, in bid schedule there is no arms storage building but ammo storage buildings for each complex (e.g. 0003 A). Please confirm that these buildings are the same.

Answer: Refer to revised specifications

Q16. SOW paragraph 2.13: 2 – type A barracks should be 2 – type B barracks. Please confirm.

Answer: Refer to revised specifications

Q17. CLIN 0007 F reads 4 motorpools whereas SOW paragraph 2.13 requires only 2 motorpools. Please clarify.

Answer: Refer to revised specifications

Q18. SOW paragraph 2.13 requires refueling point whereas CLIN 0007 F does not mention any refueling point.

Answer: Refer to revised specifications

Q19. Please confirm that reception center in SOW paragraph 2.16 corresponds to the entry station in CLIN 0007 F.

Answer: Refer to revised specifications

Q20. CLIN 0005 F and 0006 F requires maintenance buildings for CS amd CSS whereas there is no such requirement in SOW 2.22 and 2.23. Please clarify.

Answer: Refer to revised specifications

Q21. Where shall we put our price for the Ammunition Supply Point (SOW 2.35)? There is 1 ammo supply point in CLIN 0007 F however; this one does not seem to be related to the one described in SOW paragraph 2.35.

Answer: Refer to revised specifications

Q22. Please give detailed information regarding the CLIN 0008. Ne description is found in SOW.

Answer: Refer to revised specifications

Q23. As we see from scope of works and technical requirements, HVAC will be done by "diesel heater&evaporative cooler" type units for most of the buildings. Therefore, is contractor required to construct a fuel system throughout the base to feed the units? If so, shall we use generators fuel storage as the fuel source and how many days of fuel needed to be stored in the storage?

Answer: System shall meet the submittal requirements. Refer to specifications and drawings.

W917PM-07-R-0086 0006 Page 7 of 7

US ARMY CORPS OF ENGINEERS
KABUL
APO AE 09356
to
AFGHANISTAN ENGINEER DISTRICT
U.S. ARMY CORPS OF ENGINEERS, CMR 410 BOX
APO 09096

(End of Summary of Changes)